


**GenSPEED®**
**INDOOR**

| Part Number | Glass Type | Part Number Description        | Facility ID | On Hand Quantity |
|-------------|------------|--------------------------------|-------------|------------------|
| AP0021PNU   | OS2        | 2F SM TB OFNP DISTRIBTN        | 0LB         | 105,212          |
| AP0021PNUM  | OS2        | 2F SM TB OFNP DISTRIBTN        | 0AD         | 8,000            |
| AP0061PNU   | OS2        | 6F SM TB OFNP DISTRIBTN        | 0CA         | 1,210            |
| AP0061PNU   | OS2        | 6F SM TB OFNP DISTRIBTN        | 0LB         | 77,057           |
| AP0061PNUM  | OS2        | 6F SM TB OFNP DISTRIBTN        | 0AD         | 1,858            |
| AP0121PNU   | OS2        | 12F SM TB OFNP DISTRIBTN       | 0LB         | 2,958            |
| AP0121PNUM  | OS2        | 12F SM TB OFNP DISTRIBTN       | 0AD         | 2,781            |
| AP0241PNU   | OS2        | 24F SM TB OFNP DISTRIBUTION    | 0LB         | 9,494            |
| BE0021PNU   | OM3        | 2F 50 MM TB OFNP DISTRIBTN     | 0LB         | 31,042           |
| BE0041PNU   | OM3        | 4F 50 MM TB OFNP DISTRIBTN     | 0LB         | 10,325           |
| BE0061PNU   | OM3        | 6F 50 MM TB OFNP DISTRIBTN     | 0CA         | 7,350            |
| BE0061PNU   | OM3        | 6F 50 MM TB OFNP DISTRIBTN     | 0LB         | 136,071          |
| BE0061PNUM  | OM3        | 6F 50.0 MM TB OFNP DISTRIBTN   | 0AD         | 2,572            |
| BE0121PNU   | OM3        | 12F 50 MM TB OFNP DISTRIBTN    | 0CA         | 110              |
| BE0121PNU   | OM3        | 12F 50 MM TB OFNP DISTRIBTN    | 0LB         | 31,458           |
| BE0121PNUM  | OM3        | 12F 50 MM TB OFNP DISTRIBTN    | 0AD         | 1,524            |
| BE0241PNU   | OM3        | 24F 50 MM TB OFNP DISTRIBUTION | 0LB         | 4,996            |
| BE0241PNUM  | OM3        | 24F 50 MM TB OFNP DISTRIBUTION | 0AD         | 736              |
| BL0121PNU   | OM4        | 12F 50 MM TB OFNP DISTRIBTN    | 0CA         | 622              |
| BL0121PNU   | OM4        | 12F 50 MM TB OFNP DISTRIBTN    | 0LB         | 33,745           |
| BL0241PNU   | OM4        | 24F 50 MM TB OFNP DISTRIBUTION | 0LB         | 4,156            |
| CG0041PNU   | OM1        | 4F 62.5 MM TB OFNP DISTRIBTN   | 0LB         | 37,413           |
| CG0061PNR   | OM1        | 6F 62.5 MM TB OFNP DISTRIBTN   | 0CA         | 1,564            |
| CG0061PNU   | OM1        | 6F 62.5 MM TB OFNP DISTRIBTN   | 0LB         | 4,890            |
| CG0121PNU   | OM1        | 12F 62.5 MM TB OFNP DISTRIBTN  | 0LB         | 13,065           |
| PE14952     |            | HYTREL TB 49291/6-05 CORNING   | 063         | 48,150           |

**GenSPEED®****OUTDOOR**

| Part Number   | Glass Type | Part Number Description    | Facility ID | On Hand Quantity |
|---------------|------------|----------------------------|-------------|------------------|
| AQ0484H1F-DWB | OS2        | 48F SM LT DUAL JKT ARMORED | 0LB         | 9,469            |
| AQ0724M1A-DWB | OS2        | 72F SM LT SINGLE JKT       | 0CA         | 1,448            |
| FC9421535     |            | HB0484M1A-DT IN 1.25" HDPE | 0LB         | 14,000           |
| HB0484M1A-DT  |            | 48F SM LT OUTDOOR DUCT DRY | 04A         | 2,250            |


**GenSPEED®**
**INDOOR/OUTDOOR**

| Part Number   | Glass Type | Part Number Description        | Facility ID | On Hand Quantity |
|---------------|------------|--------------------------------|-------------|------------------|
| 60033752      |            | 48 BX E3 LT20 NA PRYS SUPPY    | 085         | 240,515          |
| 60040349      |            | 12 BX E3 CT NA FTFA PRYS SUPPY | 085         | 151,361          |
| 60091436      |            | 1 5G M3 FTFA SUB 2.0MM OFP ORG | 085         | 60,000           |
| AP0061ANR.BK  | OS2        | 6F SM TB OFNR I/O DIST         | 0LB         | 35,353           |
| AP0061ANU.BK  | OS2        | 6F SM TB OFNP I/O DIST         | 0CA         | 4,062            |
| AP0061ANU.BK  | OS2        | 6F SM TB OFNP I/O DIST         | 0LB         | 5,872            |
| AP0061ANU.BKM | OS2        | 6F SM TB OFNP I/O DIST         | 0AD         | 2,436            |
| AP0121ANR.BK  | OS2        | 12F SM TB OFNR I/O DIST        | 0LB         | 7,702            |
| AP0121ANR.BKM | OS2        | 12F SM TB OFNR INDOOR/OUTDOOR  | 0AD         | 549              |
| AP0121ANU.BK  | OS2        | 12F SM TB OFNP I/O DIST        | 0LB         | 4,325            |
| AP0121ANU.BKM | OS2        | 12F SM TB OFNP I/O DIST        | 0AD         | 3,075            |
| AP0241ANR.BK  | OS2        | 24F SM TB OFNR I/O DIST        | 0LB         | 13,044           |
| AP0241ANU.BK  | OS2        | 24F SM TB OFNP I/O DIST        | 0CA         | 148              |
| AP0241ANU.BK  | OS2        | 24F SM TB OFNP I/O DIST        | 0LB         | 3,962            |
| BE0021ANU.BK  | OM3        | 2F 50 MM TB OFNP I/O DIST      | 0CA         | 1,500            |
| BE0021ANU.BK  | OM3        | 2F 50 MM TB OFNP I/O DIST      | 0LB         | 994              |
| BE0041ANU.BK  | OM3        | 4F 50 MM TB OFNP I/O DIST      | 0CA         | 632              |
| BE0041ANU.BK  | OM3        | 4F 50 MM TB OFNP I/O DIST      | 0LB         | 59,845           |
| BE0061ANR.BK  | OM3        | 6F 50 MM TB OFNR I/O DIST      | 0LB         | 17,006           |
| BE0061ANU.BK  | OM3        | 6F 50 MM TB OFNP I/O DIST      | 0CA         | 18,920           |
| BE0061ANU.BK  | OM3        | 6F 50 MM TB OFNP I/O DIST      | 0LB         | 42,159           |
| BE0061ANU.BKM | OM3        | 6F 50 MM TB OFNP I/O DIST      | 0AD         | 2,842            |
| BE0121ANU.BK  | OM3        | 12F 50 MM TB OFNP I/O DIST     | 0CA         | 328              |
| BE0121ANU.BK  | OM3        | 12F 50 MM TB OFNP I/O DIST     | 0LB         | 22,925           |
| BE0121ANU.BKM | OM3        | 12F 50 MM TB OFNP I/O DIST     | 0AD         | 2,245            |
| BE0241ANU.BK  | OM3        | 24F 50 MM TB OFNP I/O DIST     | 0LB         | 8,508            |
| BL0061ANU.BK  | OM4        | 6F 50 MM TB OFNP IN/OUT        | 0LB         | 29,903           |
| BL0061ANU.BKM | OM4        | 6F 50 MM TB OFNP IN/OUT        | 0AD         | 600              |
| BL0121ANU.BK  | OM4        | 12F 50 MM TB OFNP IN/OUT       | 0LB         | 29,264           |
| BL0121ANU.BKM | OM4        | 12F 50 MM TB OFNP IN/OUT       | 0AD         | 600              |
| BL0241ANU.BK  | OM4        | 24F 50 MM TB OFNP IN/OUT DIST  | 0CA         | 137              |
| BL0241ANU.BK  | OM4        | 24F 50 MM TB OFNP IN/OUT DIST  | 0LB         | 28,220           |
| CG0021ANR.BK  | OM1        | 2F 62.5 MM TB OFNR I/O DIST    | 0LB         | 11,654           |
| CG0061ANR.BK  | OM1        | 6F 62.5 MM TB OFNR I/O DIST    | 0CA         | 250              |
| CG0061ANR.BK  | OM1        | 6F 62.5 MM TB OFNR I/O DIST    | 0LB         | 36,580           |

| Part Number   | Glass Type | Part Number Description        | Facility ID | On Hand Quantity |
|---------------|------------|--------------------------------|-------------|------------------|
| CG0061ANU.BK  | OM1        | 6F 62.5 MM TB OFNP I/O DIST    | 0CA         | 500              |
| CG0061ANU.BK  | OM1        | 6F 62.5 MM TB OFNP I/O DIST    | 0LB         | 131,781          |
| CG0061ANU.BKM | OM1        | 6F 62.5 MM TB OFNP I/O DIST    | 0AD         | 920              |
| CG0121ANR.BK  | OM1        | 12F 62.5 MM TB OFNR I/O DIST   | 0LB         | 8,885            |
| CG0121ANU.BK  | OM1        | 12F 62.5 MM TB OFNP I/O DIST   | 0CA         | 100              |
| CG0121ANU.BK  | OM1        | 12F 62.5 MM TB OFNP I/O DIST   | 0LB         | 22,267           |
| CG0241ANU.BK  | OM1        | 24F 62.5 MM TB OFNP I/O DIST   | 0LB         | 5,873            |
| WAP0121ANU.BK |            | 12F SM TB OFNP I/O DIST 1000RL | 0LB         | 1,000            |


**GenSPEED®**
INTERLOCK

| Part Number     | Glass Type | Part Number Description        | Facility ID | On Hand Quantity |
|-----------------|------------|--------------------------------|-------------|------------------|
| AP0061ANU-ILPA  | OS2        | 6F SM TB I/O PLN INTLK ALUM    | 0LB         | 3,952            |
| AP0061PNU-ILPA  | OS2        | 6F SM TB IND PLN INTLK ALUM    | 0LB         | 33,167           |
| AP0121ANU-ILPA  | OS2        | 12F SM TB INTLK ALUM I/O       | 0CA         | 389              |
| AP0121ANU-ILPA  | OS2        | 12F SM TB INTLK ALUM I/O       | 0LB         | 12,963           |
| AP0121ANU-ILPAM | OS2        | 12F SM TB INTLK ALUM I/O       | 0AD         | 1,000            |
| AP0121PNU-ILPA  | OS2        | 12F SM TB IND PLN INTLK ALUM   | 0LB         | 50,610           |
| AP0121PNU-ILPAM | OS2        | 12F SM TB IND PLN INTLK ALUM   | 0AD         | 3,140            |
| AP0241ANU-ILPA  | OS2        | 24F SM TB INTLK ALUM I/O       | 0LB         | 4,416            |
| AP0241ANU-ILPAM | OS2        | 24F SM TB INTLK ALUM I/O       | 0AD         | 305              |
| AP0241PNU-ILPA  | OS2        | 24F SM TB IND PLN INTLK ALUM   | 0LB         | 5,781            |
| AP0241PNU-ILPAM | OS2        | 24F SM TB IND PLN INTLK ALUM   | 0AD         | 845              |
| AP0481ANU-ILPAS | OS2        | 48F SM TB I/O PLN INTLK ALUM   | 0CA         | 994              |
| AP0481ANU-ILPAS | OS2        | 48F SM TB I/O PLN INTLK ALUM   | 0LB         | 13,504           |
| AP0481PNU-ILPAS | OS2        | 48F SM TB IND PLN INTLK ALUM   | 0LB         | 14,211           |
| BE0061ANU-ILPA  | OM3        | 6F MM 50 TB INTLK ALUM I/O     | 0CA         | 400              |
| BE0061ANU-ILPA  | OM3        | 6F MM 50 TB INTLK ALUM I/O     | 0LB         | 9,891            |
| BE0061ANU-ILPAM | OM3        | 6F MM 50 TB INTLK ALUM I/O     | 0AD         | 983              |
| BE0061PNU-ILPA  | OM3        | 6F 50MM TB IND PLN INTLK ALUM  | 0CA         | 1,584            |
| BE0061PNU-ILPA  | OM3        | 6F 50MM TB IND PLN INTLK ALUM  | 0LB         | 10,365           |
| BE0121ANU-ILPA  | OM3        | 12F MM 50 TB INTLK ALUM I/O    | 0LB         | 24,359           |
| BE0121ANU-ILPAM | OM3        | 12F MM 50 TB INTLK ALUM I/O    | 0AD         | 1,525            |
| BE0121PNU-ILPA  | OM3        | 12F 50MM TB IND PLN INTLK ALUM | 0LB         | 7,535            |
| BE0121PNU-ILPAM | OM3        | 12F 50/125 ALUM/INTERLOK/JKT   | 0AD         | 699              |
| BE0241ANU-ILPA  | OM3        | 24F MM 50 TB INTLK ALUM I/O    | 0LB         | 12,762           |
| BE0241PNU-ILPA  | OM3        | 24F 50MM TB IND PLN INTLK ALUM | 0LB         | 17,345           |
| BL0061ANU-ILPA  | OM4        | 6F MM 50 TB INTLK ALUM I/O     | 0LB         | 21,528           |
| BL0061PNU-ILPA  | OM4        | 6F MM 50 TB INTERLOCK ALUM     | 0LB         | 219              |
| BL0121ANU-ILPA  | OM4        | 12F MM 50 TB INTLK ALUM I/O    | 0LB         | 13,450           |
| BL0121PNU-ILPA  | OM4        | 12F MM 50 TB INTERLOCK ALUM    | 0LB         | 31,885           |
| BL0241ANU-ILPA  | OM4        | 24F MM 50 TB INTLK ALUM I/O    | 0LB         | 9,221            |
| BL0241PNU-ILPA  | OM4        | 24F MM 50 TB INTERLOCK ALUM    | 0LB         | 1,372            |
| CG0061ANU-ILPA  | OM1        | 6F MM 62.5 TB INTLK ALUM I/O   | 0LB         | 1,430            |
| CG0061PNU-ILPA  | OM1        | 6F 62.5 TB IND PLN INTLK ALUM  | 0CA         | 10,924           |
| CG0061PNU-ILPA  | OM1        | 6F 62.5 TB IND PLN INTLK ALUM  | 0LB         | 26,519           |
| CG0121ANU-ILPA  | OM1        | 12F MM 62.5 TB INTLK ALUM I/O  | 0CA         | 1,237            |

| Part Number     | Glass Type | Part Number Description        | Facility ID | On Hand Quantity |
|-----------------|------------|--------------------------------|-------------|------------------|
| CG0121ANU-ILPA  | OM1        | 12F MM 62.5 TB INTLK ALUM I/O  | 0LB         | 4,516            |
| CG0121PNU-ILPA  | OM1        | 12F 62.5 TB IND PLN INTLK ALUM | 0CA         | 4,830            |
| CG0121PNU-ILPA  | OM1        | 12F 62.5 TB IND PLN INTLK ALUM | 0LB         | 24,782           |
| CG0241PNU-ILPA  | OM1        | 24F 62.5 TB IND PLN INTLK ALUM | 0CA         | 2,642            |
| CG0241PNU-ILPA  | OM1        | 24F 62.5 TB IND PLN INTLK ALUM | 0LB         | 148              |
| DRLDBAJ12-HB012 |            | 12F SM E3 LT IN/OUT AIA OFCR   | 0AD         | 1,434            |
| DRLDBAJ12-HB024 |            | 24F SM E3 LT IN/OUT AIA OFCR   | 0AD         | 3,538            |
| DRLTBAJ12-HB012 |            | 12 SM E3 LT GEL IN/OUT AIA FT4 | 0AD         | 3,000            |
| DRLTBAJ12-HB024 |            | 24 SM E3 LT GEL IN/OUT AIA FT4 | 0AD         | 2,400            |